



## NOTES:

1. ALL STEEL PARTS PLATED
2. ALL DIMENSIONS REF. ONLY
3. SWITCH IS ASSEMBLED
4. TORQUE SPECIFICATIONS:  
MOUNTING STEM NUTS: 20 FT LBS [27 N.m] MAX  
3/8" NUTS 70-90 IN LBS [8-10 N.m]
5. RATING: 250A AT 6 VDC; 125A AT 12 VDC INTERMITTENT;  
40A AT 6VDC, 20A AT 12 VDC CONTINUOUS

(AJ)

Revision Control Record				Rev.	Description of Change	ECN No.	Date	Subsection (Unless otherwise specifically noted, the following are default subsections)	PROPRIETARY INFORMATION This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the express written consent of an authorized representative of Cole Hersee Company.	Special Characteristics: Critical Characteristics, relating to Safety and/or Regulatory Compliance Significant Characteristic relating to Process Control Control Dimension relating to Form-Fit - Function as defined by Cole Hersee Company and/or the Customer	Cole Hersee Co. 39 Old Colony Ave., South Duxbury, MA, 02127 P.O. Box 2432 Wob., www.colehersee.com	
Rev.	Description of Change	ECN No.	Date					2-places ±0.02"	3-places ±0.005"	Angular ±1°		
AH	DELETE NOTE 3	07179	05/18/07									
AJ	ADDED NOTES	08680	11/05/08									
AK	ADDED "X" TO STUD TOP	09563	12/7/08									
AL	UPDATED LABEL	10014	1/13/10									

FORM CH7-6 (2/07)

Send On  
or Ref.Scale: 1:1  
Drawn BY: EA  
Date Drawn: 12/27/08

Pg. 1 of 1

Drawing /  
Part No.:

2484

Current Rev.  
AL