



K-SPEC® ECONOMY TERMINALS

Butt Connectors with Vinyl (PVC) Insulation – Economy

300V Rating, 75°C, Brass

Pkg	GA	Red	Blue	Yellow
		22-18 GA	16-14 GA	12-10 GA
100 pk		561231	561232	561233
500 pk		561231D	561232D	561233D



B

Butt Connectors with Heat Shrink Tubing – Economy

600V Rating, 105°C, Copper

Pkg	GA	Red	Blue	Yellow
		22-18 GA	16-14 GA	12-10 GA
100 pk		561244	561245	561246
500 pk		561244D	561245D	561246D



NEW K-Spec Economy Terminals are packaged in re-sealable bags

Ring Terminals with Vinyl (PVC) Insulation – Economy

600V Rating, 75°C, Copper


100 pcs/pk				500 pcs/pk					
Stud	GA	Red	Blue	Yellow	Stud	GA	Red	Blue	Yellow
		22-18 GA	16-14 GA	12-10 GA			22-18 GA	16-14 GA	12-10 GA
#6		561000	561016	561032	#6		561000D	561016D	561032D
#8		561002	561018	561033	#8		561002D	561018D	561033D
#10		561003	561019	561034	#10		561003D	561019D	561034D
1/4"		561004	561020	561035	1/4"		561004D	561020D	561035D
5/16"		561005	561021	561036	5/16"		561005D	561021D	561036D
3/8"		561006	561022	561037	3/8"		561006D	561022D	561037D
1/2"				561038	1/2"				561038D



Spade Terminals with Vinyl (PVC) Insulation – Economy

600V Rating, 75°C, Copper

100 pcs/pk				500 pcs/pk					
Stud	GA	Red	Blue	Yellow	Stud	GA	Red	Blue	Yellow
		22-18 GA	16-14 GA	12-10 GA			22-18 GA	16-14 GA	12-10 GA
#6		561048	561061	561074	#6		561048D	561061D	561074D
#8		561049	561062	561075	#8		561049D	561062D	561075D
#10		561050	561063	561076	#10		561050D	561063D	561076D
1/4"			561064	561077	1/4"			561064D	561077D



Male Slide Connectors with Vinyl (PVC) Insulation – Economy

300V Rating, 75°C, Brass

100 pcs/pk				500 pcs/pk					
Male Tab	GA	Red	Blue	Yellow	Male Tab	GA	Red	Blue	Yellow
		22-18 GA	16-14 GA	12-10 GA			22-18 GA	16-14 GA	12-10 GA
.110" x .020"		561378	561391		.110" x .020"		561378D	561391D	
.110" x .032"		561380			.110" x .032"		561380D		
.187" x .020"		561382	561388		.187" x .020"		561382D	561388D	
.187" x .032"		561384	561390		.187" x .032"		561384D	561390D	
.250" x .032"		561351	561356	562115	.250" x .032"		561351D	561356D	562115D



Female Flag Disconnects with Nylon Insulation – Economy

300V Rating, 105°C, Copper

Pkg	GA	Red	Blue
		22-18 GA	16-14 GA
100 pk		562407	562408
500 pk		562407D	562408D



For Copper Solid and Stranded Wire only – 22-18 and 16-14 AWG ring, fork and butt splices.
 For Copper Stranded Wire only – 12-10 AWG ring, fork and butt splices and all Male/Female Disconnects.



K-SPEC® ECONOMY TERMINALS

Female Slide Connectors with Vinyl (PVC) Insulation – Economy

300V Rating, 75°C, Brass For Copper Stranded Wire Only

100 pcs/pk				500 pcs/pk			
Female GA Tab	Red 22-18 GA	Blue 16-14 GA	Yellow 12-10 GA	Female GA Tab	Red 22-18 GA	Blue 16-14 GA	Yellow 12-10 GA
.110" x .020"	561377	561396		.110" x .020"	561377D	561396D	
.110" x .032"	561379	561397		.110" x .032"	561379D	561397D	
.187" x .020"	561381	561387		.187" x .020"	561381D	561387D	
.187" x .032"	561383	561389		.187" x .032"	561383D	561389D	
.205" x .020"	561395	561398		.205" x .020"	561395D	561398D	
.250" x .032"	561352	561355	562093	.250" x .032"	561352D	561355D	562093D
.312" x .032"		561399		.312" x .032"		561399D	
.375" x .047"		561400	561401	.375" x .047"		561400D	561401D




B

Slide Connectors, Nylon Fully Insulated – Economy

300V Rating, Brass For Copper Stranded Wire Only

100 pcs/pk					500 pcs/pk						
Tab	GA	Insulation	22-18 GA	16-14 GA	12-10 GA	Tab	GA	Insulation	22-18 GA	16-14 GA	12-10 GA
Male	.250" x .032"	Nylon	561353	561358	561621	Male	.250" x .032"	Nylon	561353D	561358D	561621D
Female	.250" x .032"	105°C	561354	561357	561623	Female	.250" x .032"	105°C	561354D	561357D	561623D
Female	.250" x .032"	PVC 75°C	561345	561346	561347	Female	.250" x .032"	PVC 75°C	561345D	561346D	561347D



Bullet Connectors with Vinyl (PVC) Insulation – Economy

300V Rating, 75°C, Brass For Copper Stranded Wire Only

100 pcs/pk					500 pcs/pk						
Tab	GA	Red 22-18 GA	Blue 16-14 GA	2 Way (Clear) 16-14 GA	Yellow 12-10 GA	Tab	GA	Red 22-18 GA	Blue 16-14 GA	2 Way (Clear) 16-14 GA	Yellow 12-10 GA
Male .156"		561247	561251			Male .156"		561247D	561251D		
Female .156"		561248	561289	*561261		Female .156"		561248D	561289D	*561261D	
Male .197"			561257		561259	Male .197"			561257D		561259D
Female .197"			561258		561260	Female .197"			561258D		561260D



* Mates with two .156" Males



For Copper Solid and Stranded Wire only – 22-18 and 16-14 AWG ring, fork and butt splices.
 For Copper Stranded Wire only – 12-10 AWG ring, fork and butt splices and all Male/Female Disconnects.



K-SPEC® ECONOMY TERMINALS

K-SPEC® TERMINALS ASSORTMENT KITS

Economy Terminal Assortment in a Metal Kit

560500 This convenient assortment kit contains 500 popular K-Spec Terminals in a metal carrying case. Case has space for a Crimp Tool.

Kit Contents:

Part No.	Qty	Part No.	Qty	Part No.	Qty	Part No.	Qty
561003	25 pcs	561233	25 pcs	561289	25 pcs	561353	25 pcs
561016	25 pcs	561247	25 pcs	561345	25 pcs	561355	25 pcs
561019	25 pcs	561250	25 pcs	561346	25 pcs	561356	25 pcs
561231	25 pcs	561251	25 pcs	561351	25 pcs	561358	25 pcs
561232	25 pcs	561261	25 pcs	561352	25 pcs	562093	25 pcs



560500 Economy Terminal Assortment Kit in a Metal Case



Economy Terminal Assortments in Plastic Kits

These compact assortment kits each contain 175 popular K-Spec Terminals in a plastic case. Kits are available with a Crimp Tool or without under the following part numbers:

560175 (with tool)

560175NT (without tool)

Both Kits' Contents:

Part No.	Qty	Part No.	Qty	Part No.	Qty	Part No.	Qty
561003	10 pcs	561233	10 pcs	561289	10 pcs	561355	10 pcs
561016	10 pcs	561247	10 pcs	561345	10 pcs	561356	10 pcs
561019	10 pcs	561250	10 pcs	561346	10 pcs	562093	10 pcs
561231	10 pcs	561251	10 pcs	561351	10 pcs		
561232	10 pcs	561261	10 pcs	561352	10 pcs		

Applicable Ratchet Action Tool "RAT-" found on pages E-2 & E-4

Available with or without a crimp tool... your choice!



560175 Economy Terminal Assortment Kit – with Tool

For Copper Solid and Stranded Wire only – 22-18 and 16-14 AWG ring, fork and butt splices.
 For Copper Stranded Wire only – 12-10 AWG ring, fork and butt splices and all Male/Female Disconnects.

