

Pigtails & Sockets

Pigtail & Socket Assemblies

For domestic vehicles (as listed)

- 764372** Socket assembly for GM floor mounted dimmer switch (M-socket) 1963-1984.
Old# 764569
- 764374** Socket assembly for floor mounted dimmer switch for AMC, Chrysler and Ford.
Old# 764570 AMC (1967-1981), Chrysler (1965-1980), Ford (1965-1981).
- 764392** Pigtail assembly (Insulated, with cap) for GM Blower Motor. Replaces GM 12101906 and 12101917. For GM products 1983-1991.

Alternator Connector Socket Assemblies

For domestic vehicles (as listed)

- 764377** Heavy-duty alternator connector for GM 1971-1991. GM 6294493 (Delco# 7731).
Old# 764572 Contains: 1 x 12 ga. and 1 x 16 ga. colour-coded wire leads. For GM cars 1971+ internal voltage regulator.
- 764380** Ford alternator connector with integrated rectifier for Taurus, Sable, Tempo, Topaz, Aerostar (1985-1994). Contains: 3 x 10 ga. leads, 2 x 10 ga., 1 x 20 ga. leads. 6 cyl with 75 amp (1989+), 4 cyl with 75 amp (1985+).

Voltage Regulator Pigtail Assemblies

For domestic vehicles (as listed)

- 764382** Pigtail assembly for voltage regulator for Ford 1965-1981 and AMC with Ford regulators.
Old# 764574
- 764383** Pigtail assembly for Ford internal voltage regulator for Tempo, Topaz, Taurus, Sable and Escort - 1986+.

Ford Replacement Sockets

Miscellaneous Replacement Ford Sockets

- 764381** Socket assembly for alternator harness - Ford 1975+.
- 764415** Ford socket for EEC relay. For Ford E3AZ 12A646 A-DY-308.
- 764433** Ford socket for ignition switch harness repair for Taurus & Sable (1986-1989) Replaces Ford# E6DZ-14A411-A. For ignition switch# E7DZ-111572-A.
- 764453** Ford socket for engine coolant module for underdash harness repair. Replaces Ford# E4FZ-8C290-A. For Ford & Mercury 4 or 6 cylinder with A/C 1981-1989.
- 764456** Ford socket for engine fan switch for Ford/Mercury 1984-1986. E4FZ-8B607-A & E5FZ-8B607-A.
- 764457** Ford socket for fan switch E43Z-2B607-A.
- 764458** Ford socket for fan speed switch #YH-445, 490, 532, 535, 536 (E6DZ-19986-A, E9SZ-A, F2DZ-A, F2UZ-A-B) for Thunderbird/ Cougar/Sable 1989-1993, Taurus 1986-1993 and E-Series Trucks, 1992.
- 764460** Ford socket for radiator cooling fan motor for 4 cylinder engine (1979-1989). Also, heater blower motor (1982-1986) for trucks, pick-ups and vans. Contains 12" leads.
- 764465** Ford repair harness for blower/motor resistor.
- 764471** Ford socket (grey) for oxygen sensor: #DY-585, 586, 618, 619, 643, 649 (F0TZ-95472-A, F0TZ-95472-B, F09Z-A, F09Z-C, F1SZ-A, F1UZ-C, F9UZ-B).
- 764475** Ford/Mercury/Lincoln socket for WG-30 windshield washer pump 1968-1994. Fits E3AZ-17664-A & ea0z-17664-A pumps.
- 764480** Ford socket for in-tank fuel pump #F23Z-9H307-A, sensing unit & general purpose applications for Ford vehicles 1985-1990.
- 764481** Ford fuel pump relay connector (E3FZ-9345-B). For Tempo, Topaz, Escort, Lynx 1982-1994.
- 764482** Ford socket for fuel EGR/temperature sensor #E6AZ-9J460-A, F0SZ-9J460-A. For Taurus/Sable/ Escort/Lynx/Scorpio 1988+.
- 764485** Ford EEC IV test plug 1983+.
- 764486** Ford socket for old coil (horseshoe-type). For Ford & Mercury (1977-1987) and Lincoln (1975-1984).
- 764487** Ford socket (grey) for E.E.C. IV ignition, neutral safety switch (E80Z-7A247-A). Replaces E5ZZ-12A209-A. Module# DY425, DY504, DY597, 1988+.



764372

764374

764392



764377

764380



764382

764383

764381



764415

764433

764453



764456

764457

764458



764460

764465

764471



764475

764480

764481



764482

764485

764486



764487




Pigtails & Sockets



764420



764421



764423



764444



764445



764449



764323



764324



764302



764303



764304



764305



764306



764307



764308



764309



764310



764321



764322



764328



764329



764330



764336



764343



764344



764345

Ford Replacement Sockets

Replacement Ford Headlamp Switch Sockets

- 764420** Ford socket for headlamp switch SW-1975. For Ford E64Y-11654-A. For Mercury Sable 1986-1989.
- 764421** Ford socket for headlamp switch SW-1976. For Ford E6DZ-11654-A & F2DZ-11654-A. For Taurus 1996+ and Sable 1990+.
- 764423** Ford socket for dash headlamp switch for Ford F-Series trucks. Switch# E7TZ-11654-C.

Replacement Ford A/C Blower & Heater Switch Sockets

- 764444** Ford socket connector for A/C blower. Motor resistor#E7TZ-19A06-A. For Ford trucks 1986-1994.
- 764445** Ford socket for heater & A/C blower switches. Fits most 1986 base family switches. 5 colour coded. 1973+.
- 764449** Ford socket connector (YH-411) for heater switch.

Replacement Ford Turn Signal Switch Sockets

- 764323** Turn signal switch socket for Ford (1980-1994) #E7FZ 13441A. Contains 5 x 18 ga., 8" leads.
- 764324** Turn signal switch socket for Ford (1980-1994) #E7FZ 13441A. Contains 2 x 18 ga., 6 x 16 ga. 8" leads.

Light Sockets

Incandescent Light Sockets

- 764302** 3 Wire contact socket for Chrysler 1979-1992 (3843432, 4362469). For lamp# 198, 1016, 1034, 1154, 1157.
- 764303** 2 Wire single contact socket for: AMC 1983-1987 (8983500650), Chrysler 1989-1993 (4450817), GM 1977-1995 (12003758). For lamp# 87, 93, 1156.
- 764304** Double contact socket for Chrysler 1971-1993 (3513558, 3764561, 3764863, 3843431, 3747831). For lamp# 1157.
- 764305** Single contact socket for Chrysler 1974-1988 (3764865, 3843245, 4124721, 4163003, 4331051). For lamp# 87, 93, 1156.
- 764306** Universal single contact socket for 3/4" hole. For signal, park, stop or tail. For lamp# 67, 89, 1003, 1141, 1156, 1251, 1683.
- 764307** Universal double contact socket for signal, park, stop and tail. Also fits tail and parking lights on GM cars, trucks and trailers. Fits 3/4" hole. For lamp# 198, 1016, 1034, 1154, 1157, 2057.
- 764308** Universal double contact socket for stop & tail for AMC 1969-1979 (4486948) GM 1959-1968, 1970-1973 (2974309, 2983540, 6299087, 8912698). Fits 1 1/8" hole. For lamp# 1034, 1154, 1157, 2057.
- 764309** Stop and tail light socket for GM (8903202, 8914822) Twist lock type. Focal length 7/8". Replaces grey OEM sockets. For lamp# 1157.
- 764310** Stop and tail light socket for GM (8903203, 8914823) Twist lock type. Focal length 1 1/4". Replaces grey OEM sockets. For lamp# 1034, 1157, 2057.
- 764321** Stop and tail light socket for Chrysler/Ford. Chrysler - 3588833, 3764123 (1973-1974). Ford - D2FZ 13410A, D3AZ 13410B, D5DZ, D5VY 13410A (1973-1980). For lamp# 1157.
- 764322** Stop & tail socket for Ford (1987-1994). For lamp# 2458, 3057-3157.
- 764328** Socket for GM License 12001470, 12116169, 12078187 (Delco# LS-19) 1976-1995. Socket for Ford tail, stop and turn (EOSZ 15A442B) 1988-1989. For lamps# 194, 194A.
- 764329** Side-marker, license, parking and tail light socket for Chrysler and GM. Chrysler (4274100) 1982-1986. GM (8912750, 12003896) 1973-1995. For lamp# 161, 168, 194, 194A.
- 764330** Side-marker, license plate light socket for Chrysler/GM/Ford Chrysler 1991-1993, GM 1969-1995, Ford 1968-1993. For lamp# 158, 194, 194A.
- 764336** License plate light socket for Chrysler 1989-1992. Replaces Chrysler 4362133, 4414184. For lamp#194.
- 764343** GM grey socket for Chevrolet, Oldsmobile & Pontiac 1988-1995. Front: park and turn; Rear: stop, tail, turn. GM 12083006, 12092377 (Delco# LS-11). For lamp# 3057, 3157.
- 764344** GM black socket for Chevrolet, Oldsmobile & Pontiac 1988-1995. Front: park and turn; Rear: stop, tail, turn. GM 12083006 (Delco# LS-12). For lamp# 3157.
- 764345** GM Driving/park/stop/tail/turn light socket (1992-1997). Replaces GM 12083689 (Delco# LS15). For lamp# 2457, 2458 3057, 3157.

Pigtails & Sockets

Light Sockets

Incandescent Light Sockets

- 764347** Double contact socket for rear parking lamp. Ford D1FZ 13234A, D5UZ 13410A. For lamp# 1157.
- 764349** Front: signal & park light socket. Rear: signal, park & stop light socket for Ford 1974-1997. Replaces Ford: E1AZ-13410-A. For lamp# 198, 1016, 1034, 1157.
- 764350** Front: signal & park light socket. Rear: park & stop light socket for Ford 1970-1997. Replaces Ford: E0TZ-13410-A, E2SZ-13410-A. For lamp# 198, 1016, 1034, 1157.
- 764354** Back-up, stop, tail, turn light socket for GM 1988-1997 Replaces GM: 12083680 (Delco# LS16). For lamp# 2457, 2458, 3057, 3157.
- 764355** GM back-up light socket (8909518). Lamp# 1156.
- 764356** Back-up light socket for GM 1988-1997. Replaces GM: 12085330 (Delco# LS17). For lamp# 2456, 3156.
- 764360** Back-up light socket for Ford 1984-1989. For lamp# 67, 89 93, 1003, 1073, 1141, 1156.
- 764361** Back-up and corner side marker light socket for Ford 1995-1997. For lamp# 2456, 3156.
- 764367** GM front and rear side marker socket for Chevrolet, Oldsmobile & Pontiac 1984-1995. GM (12037105, 1208360). For lamp# 921.
- 764368** GM front and rear side marker socket for Chevrolet Oldsmobile & Pontiac 1987-1995. GM (12083007). For lamp# T-24.
- 764369** GM socket 3 wire double contact. For GM 12003757, 12089345 (1977-1993). For lamp# 1157.
- 764407** Pigtail & socket assembly (3 Wire) for GM 1976-1995. Replaces GM (12013813 & 8918816). For lamp# 1034, 1154, 1157, 2057.
Old# 764567

Halogen Light Sockets

- 764495** Universal socket for **H9004** & **H9007** Halogen bulbs. Also for Chrysler 4400395, 4414332, 4430976, 4439076.
- 764496** Universal socket for **H9005** Halogen bulbs.
- 764497** Universal socket for **H9006** Halogen bulbs.

Universal Pigtails

Universal, for most vehicles

- 764300** Universal single contact for replacement base socket.
Old# 733003
- *764300B** Same as **764300** except 10 pack.***NEW**
- 764301** Universal double contact for replacement base socket.
Old# 733009
- *764301B** Same as **764301** except 10 pack.***NEW**
- 764410** Universal 5-wire connector for 5-pin relays.
- 764494** 90 degree universal round stud #8.

Sealed Beam/Flasher Connectors

- 764490** 3 Wire connector assembly used on 3 prong seal beam lighting, or 3 prong flashers
Old# 764028
- 764490B** Same as **764490** except 10 pack

Circuit Tester

Tests:

- Alternators & Charging Systems
- Battery Cable Circuits
- CD/Tape Players
- Connectors
- Fuses & Fusible Relays
- Heating & A/C controls
- Lights (Stop & Tail, Dome)
- Power Antennas hook-ups
- Power Windows, Seats & Door Locks
- Radios
- Rear Window Defrosters
- Relays
- Switches
- Wiring

- 764700** Tests 6-24 Volt Systems. Features a 5ft (1.5m) heavy-duty rubber coated lead wire, an unbreakable handle and a heavy-duty ground clip



764347

764349

764350



764354

764355

764356



764360

764361

764367



764368

764369

764407



764495

764496


764497



764300

764301

764410



764494

764490 Sealed Beam/Flasher Connector



764700 Circuit Tester